The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23773

Stream : Flatrock River

Applicant : Leon Roberts

1023 Hawthorne Drive Columbus, IN 47203-1621

Description : A commercial facility will be developed along the west (right) bank of the Flatrock

River. The facility will consist of a 100' by 275' building and asphalt paved parking area. The fill will cover a 100' by 275' area and will vary in depth from 1' at the landward edge to 1.2' near the stream. It will be set back 850' from the top of the streambank and will have a finished elevation of 633.5', NGVD. The parking area will be constructed finished elevation of the fill. The lowest floor elevation of the building will be 633.5' NGVD. Previously approved under FW-18366. Details of the project are contained in information received electronically at the Division of

Water on April 3, 2006.

Location : Within the west overbank, adjacent to and extending approximately 400'

northeast of US 31 between approximately 2,000' and 2,400' northwest of the US

31 river crosssing. At the the North corner of the Intersection of US 31 and

Commerce Road

at Columbus, Columbus Township, Bartholomew County

Section 11, T 9N, R 5E, Columbus Quadrangle

Quad Code: 3908528

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23777

Stream : Pipe Creek

Applicant : Bechtel Inc

Joshua Lee

Suite L Commerce Drive Indianapolis, IN 46214

Description : A 195' self-support cell tower will be constructed in the floodway. Associated

construction will include an 11'-5" by 20' prefab radio equipment building with platform and a GPS antenna/Imu and mount. The entire 78' by 78' compound will

be enclosed with a 6' high chain link fence. A gravel approach road and turnaround will be constructed as well. Details of the project are contained in information and plans received at the Division of Water on April 5, 2006.

Location : 315 South Harrison Street; extends approximately 330' to 410' north and 120' to

200' west of the intersection of the Norfolk-Western railroad tracks and State

Road 9

near Alexandria, Monroe Township, Madison County

SE14, NE14, NE14, Section 24, T 21N, R 7E, Alexandria Quadrangle

Quad Code: 4008536

UTM Coordinates: Downstream 4457433 North, 612923 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23778

Stream : Otter Creek

Applicant : Vigo County Highway Department

Jerry Netherlain

3250 East Haythorne Avenue Terre Haute, IN 47807-2108

Description : The existing 3-span reinforced concrete arch bridge will be replaced with a

3-span variable depth continuous reinforced concrete slab bridge with span lengths of 43'-0, 53'-0, and 43'-0 with a clear roadway width of 36'-0. The abutments will have 2:1 side slopes armored with riprap over geotextile fabric. The abutments and piers will be skewed 5 degrees. The existing structure will be completely removed. Details of the project are contained in information and plans

received at the Division of Water on April 7, 2006.

Location : At the County Road 24 West/Hasselberger Road stream crossing (County Bridge

#205)

DOWNSTREAM: near Terre Haute, Otter Creek Township, Vigo County SE¼, SW¼, NW¼, Section 26, T 13N, R 9W, New Goshen Quadrangle

Quad Code: 3908754

UTM Coordinates: Downstream 4376825 North, 466850 East

UPSTREAM: Vigo County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23779

Stream : Bald Knob Creek

Applicant : J & S Builders, Inc.

Mike Seaton

3014 Charlestown Crossing New Albany, IN 47150-9380

Description

: The project includes placement of fill in two areas along the North side of Bald Knob Creek and construction of the extension of Charlestown Crossing along the north side of Bald Knob Creek to Kamer Miller Road. No channel relocations or modification are proposed. The first of the fills areas is located within the calculated floodway of Bald Knob as shown on the FIRM map number 180062 0010 D. The proposed fill is bounded by Bald Knob Creek on the south, Charlestown road on the east, and Harrison Bank on the north. The proposed fill covers approximately 39,500 sq.ft. varying in depth from 3.0 along the creek to 1.5 feet adjacent to the Harrison bank site. The fill's finished elevation will be 465.5 NGVD. The completed fill area will be developed for a retail use. The second fills area lies between Bald Knob Creek and lot four of Charlestown Crossing Subdivision. The fill areas falls within the calculated floodway of Bald Knob Creek. The proposed fill covers approximately 24,611 sq.ft. tapers in depth from 2.5 maximum to 0.0 feet adjacent to lot 4. The fill's finished elevation will be 465.5 +/- NGVD. The completed fill area will be used to enchance lot 4, currently planned for a fire department. The extension of Charlestown Crossing includes construction of approximately 360 feet of three lane roadway and associated sidewalk. The alignment has been selected to avoid a crossing of Bald Knob Creek, and meet Kamer Miller north of existing triple 72" culverts. The area of the work is primarily located within the calculated floodway of Bald Knob as shown on the FIRM map number 180062 0010 D. The work includes placement of approximately 1,400 cu. yds of fill 1,500 sq.yd. of pavement,750 feet of curb and gutter, 681 feet of sidewalk, 86' of 42" reinforce concrete pipe along Kamer Miller Road and associated drainage piping and structures. The proposed roadway will be generally constructed on grade or on shallow fills. A majority of the fill will be placed under the creekside shoulder and walk. Details of the project are contained in information received electronically at the Division of Water on April 7, 2006.

Location

: This project is located along the west side Charlestown Road (SR311) approximately 1/3 miles north of the intersection with US 265. The project is located on lots 3 and 4 of Plat 79 in Survey #85 near New Albany, New Albany Township, Floyd County

New Albany, IN-KY Quadrangle

Quad Code: 3808537

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23787

Stream : Mill Creek

Applicant : Putnam County

Gene R Beck

One West Washington

Greencastle, IN 46135-1550

Description

The existing 2 span, one lane bridge carrying County Road 1300 South over Mill Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a 3-span prestressed concrete I-beam bridge with span lengths of 99.25 ft, 100.0 ft, and 99.25 ft. The structure (will have/has) an out-to-out length of 32.5 ft and a clear roadway width of 32.0 ft. The spill through abutments will have 2:1 sideslopes armored with class 1 riprap. The abutments and piers will be skewed 0 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 7.25 ft above the existing approaches. The existing structure will be completely removed. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on April 12, 2006.

Location

At the intersection of County Road 1300 South and Mill Creek in Indianapolis, Cloverdale Township of Putnam County, Taylor Township of Owen County, Indiana.

Sections 15, 16, 21, & 22, Township 12 N, Range 3 E, Cloverdale Quadrangle

(86°44'37" Lat., 39°28'14" Long.)

Near Cloverdale, Cloverdale Township, Putnam County

Section 16, T 12N, R 3E, Cloverdale Quadrangle

Quad Code: 3908657

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : LM-151

Lake : Lake Michigan

Applicant : US Army Corps of Engineers Chicago District

Nicole Roach

111 North Canal Street, Suite 600

Chicago, IL 60606-7206

Description

: The U.S. Army Corps of Engineers will dredge approximately 35,000 cubic yards of accumulated sediment from the Michigan City Outer Harbor. The dredging will be performed by either mechanical or hydraulic means from the Outer Harbor region of Michigan City Harbor. The Harbor will be dredged to a set navigation depth of 14' below Lake Michigan low water datum of 577.5', IGLD to improve channel navigability. The dredged material will be placed directly off the beach of Mount Baldy at Indiana Dunes National Lakeshore. No dredging will occur during the fish closure window of May 1 through May 21. In addition, maintenance dredging will occur in 2008 and 2010 with the dredged material being placed off the beach of Mount Baldy. The exact dredging limits for the 2008 and 2010 dredging will be determined from bathymetric data at the time of the dredging and will not extend outside the Michigan City Outer Harbor. Details of the project are contained in plans and information received at the Division of Water on April 3. 2006.

Location

Michigan City Outer Harbor

DOWNSTREAM: near Michigan City, Michigan Township, LaPorte County

N½, NW¼, Section 20, T 38N, R 4W, Michigan City West Quadrangle

Quad Code: 4108668

UTM Coordinates: Downstream 4619452 North, 507053 East

UPSTREAM:

UTM Coordinates: Upstream 4619516 North, 507536 East

Statute/Rule

Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway

Application # : PL-20410

Lake : Pretty Lake

Applicant : Roderick G and Jonell Bergstedt Trust

Rod Bergstedt Trust 2112 Springmill Road

Fort Wayne, IN 46845-9728

Description : A 60' x 50' underwater beach will be constructed across 60' of the applicant's 60'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on April 5, 2005.

Location : 4545 South 890 East (Lot 2 -- Goodpaster's Addition)

near South Milford, Milford Township, LaGrange County

NW14, NE14, SE14, Section 16, T 36N, R 11E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4604179 North, 654430 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20411

Lake : Long Lake

Applicant : Mr. Paul Loberg

511 Long Lake Lane

Valparaiso, IN 46383-1013

Description : An approximate 350' long by 70'-120' wide area of an existing channel will be

restored to its original condition by removing a maximum of 40000 square feet of debris from the lakebed. The dredging will be performed by a full size excavator. The excavated material will be transported to an upland detention area where it will be dewatered. Any excess dredge that cannot fit on designated areas will be hauled away to an off-site disposal area once they dry out. Details of the project are contained in information and plans received at the Division of Water on April

7, 2006.

Location : Beginning approximately 650' east and 300' north of the Loomis Lake Dam

extending throughout the channel for about 400'

DOWNSTREAM: near Valparaiso, Center Township, Porter County

NW¼, NE¼, Section 1, T 35N, R 6W, Chesterton Quadrangle

Quad Code: 4108751

UTM Coordinates: Downstream 4596466 North, 495540 East

UPSTREAM:

UTM Coordinates: Upstream 4596468 North, 495452 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20412

Lake : Center Lake

Applicant : James DeVore

1988 Chapman Lake Drive Warsaw, IN 46582-7826

Description : A glacial stone seawall will be constructed across 100' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Construction activities will also include grading of the shoreline and removal of brush and shrubs at the shoreline. Details of the project are contained in information and plans received at the Division of Water on April 7, 2006.

Location : Lot 1, Rolling Hills Subdivision Three

DOWNSTREAM: near Warsaw, Wayne Township, Kosciusko County W½, SW¼, Sw¼, Section 5, T 32N, R 6E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4567176 North, 595634 East

UPSTREAM:

UTM Coordinates: Upstream 4567278 North, 595764 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20413

Lake : Winona Lake

Applicant : Phyllis J Wilkey

1503 Park Avenue

Winona Lake, IN 46590-1632

Cindy L Elliot

1124 Country Club Drive Warsaw, IN 46580-5007

Description : A new seawall will be constructed across 120' of the 120' frontage of the applicant

along Winona Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 32 inches high (above winter water level) and will vary uniformly in thickness from 20 inches to 12 inches from the base to the top. The lakeward face of the wall will (legal/average normal) shoreline. A 18" wide layer of stone will be placed at the base of the wall for toe

protection. Details of the project are contained in information received

electronically at the Division of Water on April 7, 2006.

Location : 1109 and 1107 Country Club Lane; Lots 12 thru 14 Williams Addition to Yarnelle

Point

near Warsaw, Wayne Township, Kosciusko County Section 16, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20414

Lake : Sylvan Lake

Applicant : Carl S Grove

710 Lakeside Drive

Rome City, IN 46784-9602

Description : A foundation of a boatwell will be refaced with a layer of concrete across of 8' of

the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on April 10, 2006.

Location : 710 Lakeside Drive

near Rome City, Orange Township, Noble County

SW1/4, SW1/4, NW1/4, Section 15, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4594499 North, 636321 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20415

Lake : Cedar Lake

Applicant : Robert Gross

> 14415 Lauerman Street Cedar Lake, IN 46303-9601

Description

A new seawall (PVC sheetpile) will be constructed along 150 feet of eroding streambank at the mouth of the stream into Cedar Lake. The new wall (will be/is) approximately 3 ft high, as measured from the streambed, and it will mimic the same alignment as the existing stream channel. It will tie into existing concrete seawalls located on the very southern edge of teh property that is adjacent to Cedar Lake. The piling will be driven approximately four to eight feet into the streambed and will be anchored with deadmen spaced at 5 ft intervals. A whaler will be placed across the face of the wall to further stabilize the PVC sheetpile. Minimal clean fill will be brought onsite to backfill the area landward of the new seawall as the seawall will terminate 0.5 feet above the existing ground surface elevation. The fill will be leveled with the top of the wall at the stream and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received electronically at the Division of

Water on April 11, 2006.

Location Unnamed tributary on the north end of Cedar Lake, referred to as the Condos

near Cedar Lake, Hanover Township, Lake County NE1/4, Section 22, T 34N, R 9W, St. John Quadrangle

Quad Code: 4108744

Statute/Rule Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20417

Lake : Tippecanoe Lake

Applicant : Mike Houk

Mark A Alfano

10959 Innisbroke Lane Fishers, IN 46038

Description : An existing 26' seawall will be refaced across a portion of the 26' frontage of the

applicant on Tippecanoe Lake to prevent deterioration. The refacing will consist of concrete which will be tied to the existing wall with steel. The refacing will have a maximum thickness of 14 inches and will be sloped on the lakeward side. A 14" inch wide layer of concrete will be placed at the base of the wall for toe protection. A 30 inch wide concrete walkway will be constructed on top and landward of the

lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on April 12, 2006.

Location : Lot number (40) in Forrest Glen Addition on Tippecanoe Lake, on the South side

near Leesburg, Tippecanoe Township, Kosciusko County

Section 7, T 33N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake